

OUTDOORED150-A

4500 nits high-brightness single-sided floor standing LED totem outdoor



Outdoor Waterproof

The IP56 rating provide full protection against dust and water projection. Built in intelligent heating and cooling, together with a smart automatic air circulation system.



Sunlight Readable Image


Adjusts the brightness of the monitor automatically according to the surrounding lighting conditions. This feature considerably reduces power consumption and increases the monitor's lifetime.



ANTI-GLARE

Anti-glare Glass

Reduce the interference of ambient light, improve the clarity of the picture, reduce the reflection of the screen, make the image clearer and more realistic, so that the viewer can enjoy a better visual effect



Intelligent Thermal Management

According to the surrounding environment temperature to adjust the internal temperature, to ensure that the equipment in the appropriate temperature range, to extend the service life of the equipment.

FOR MORE INFORMATION

For more information about CNLC, visit our website at www.cnlcdisplay.com. Copyright © cnlcdisplay All rights reserved. All specifications and descriptions are subject to change without notice. Reproduction without permission is prohibited.



Product Parameters




Model No.	P4	P3.076	P2.5
Pixel Pitch	4mm	3.076mm	2.5mm
Pixel Density(dots/m ²)	62,500	105,625	160,000
LED Encapsulation	SMD1921	SMD1415	
Pixel configuration	1R1G1B		
Scan Mode	1/10 scan	1/13 scan	1/16 scan
Module Size	320 * 160 mm		
Module Resolution	80 x 40	104 x 52	128 x 64
Brightness (cd/m ²)	≥4500cd/m ²		
Max. Power Consumption(W/m ²)	645	684	708
Ave. Power Consumption(W/m ²)	323	342	372
Module weight	455±5g	450±5g	437±5g
Energy Saving design	4.2-5V voltage design		
Degree of Protection	Front IP65		
Service	Back maintenance		
Power Supply	AC200-240V,50/60Hz		
Refresh Rate (Hz)	≥ 3840Hz		

FOR MORE INFORMATION

For more information about CNLC, visit our website at www.cnlcdisplay.com. Copyright © cnlcdisplay All rights reserved. All specifications and descriptions are subject to change without notice. Reproduction without permission is prohibited.

Dimensional and structural drawings



FOR MORE INFORMATION

For more information about CNLC, visit our website at www.cnlcdisplay.com. Copyright © cnlcdisplay All rights reserved. All specifications and descriptions are subject to change without notice. Reproduction without permission is prohibited.